HATCHERY EVALUATION REPORT

Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)

March 1997

Integrated Hatchery Operations Team (IHOT)

HATCHERY EVALUATION REPORT

Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)

An Independent Audit Based on Integrated Hatchery Operations Team (IHOT) Performance Measures

Prepared by:

Montgomery Watson 2375 130th Avenue NE Suite 200 Bellevue, WA 98005

Prepared for:

U.S. Department of Energy Bonneville Power Administration Environment, Fish and Wildlife P.O. Box 3621 Portland, OR 97208-3621

Project Number 95-2 Contract Number 95AC49468

March 1997

CONTENTS

| Section 1 | Executive Summary | 1-1 |
|-----------|---|-----|
| Section 2 | Facility Description | 2-1 |
| Section 3 | Compliance Status | 3-1 |
| Section 4 | Remedial Actions | 4-1 |
| Section 5 | Hatchery Contribution to Fisheries, Spawning Grounds and Hatcheries | 5-1 |
| Section 6 | Annual Operating Expenditures | 6-1 |

List of Tables

Table

- Summary Program Information for Oak Springs Hatchery Winter Steelhead (Clackamas River Stock)
- Compliance with Performance Measures: Oak Springs Hatchery Winter Steelhead(Clackamas River Stock)
- Remedial Actions Required at Oak Springs Hatchery Winter Steelhead (Clackamas River Stock)

- 4 Adult Contribution to Fisheries, Spawning Grounds and Hatcheries: Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)
- 5 Annual Operating Expenses: Oak Springs Hatchery Winter Steelhead (Clackamas River Stock)
- 6 Annual Operating Expenses Oak Springs Hatchery

Executive Summary

This report presents the findings of the independent audit of the Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) program. The hatchery is located on the Deschutes River about 9 miles from Maupin, Oregon. The hatchery is used for incubation and rearing of summer steelhead, rearing of winter steelhead, and maintenance of two resident rainbow trout broodstock.

The audit was conducted in 1996-1997 as part of a 2-year effort that will include 67 hatcheries and satellite facilities located on the Columbia and Snake River system in Idaho, Oregon, and Washington. The hatchery operating agencies include the U.S Fish and Wildlife Service, Idaho Department of Fish and Game, Oregon Department of Fish and Wildlife, and Washington Department of Fish and Wildlife.

Background

The audit is being conducted as a requirement of the Northwest Power Planning Council (NPPC) ÒStrategy for SalmonÓ and the Columbia River Basin Fish and Wildlife Program. Under the audit, the hatcheries are evaluated against policies and related performance measures developed by the Integrated Hatchery Operations Team (IHOT). IHOT is a multi-agency group established by the NPPC to direct the development of new basinwide standards for managing and operating fish hatcheries. The Bonneville Power Administration (BPA) contracted with Montgomery Watson to act as an independent contractor for the audit. IHOT has established five basic policies that cover: (1) hatchery coordination, (2) hatchery performance standards, (3) fish health, (4) ecological interaction, and (5) genetics. The audit focuses on all these policies, with the exception of hatchery coordination. These policies are set forth in *Policies and Procedures for Columbia Basin Anadromous Salmonid Hatcheries (IHOT 1995)*. That document is the source for the performance measures that are the basis of this audit.

The Audit Process

The audit was based on the facility managementÕs response to a 109-page questionnaire. This audit form was completed through a five-step process in which:

- Information was obtained from headquarters.
- The hatchery manager was asked to fill out and return the audit form.
- A 1-2 day site audit visit was conducted to inspect facilities, review hatchery records, discuss audit form responses, and develop remedial action plans.
- A compliance report was developed to document the compliance status of each performance measure. This report was then shared with the hatchery manager and IHOT representative.
- This hatchery evaluation report was written to document compliance with IHOT performance measures and develop cost estimates for remedial actions when needed.

Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Results

The Oak Springs facility includes 4 ponds for rainbow trout broodstock holding, 8 concrete raceways, 2 BurrowÕs ponds, 5 circular ponds 14 rearing ponds, and incubation facilities. The facility, which is operated with state funds, produces steelhead and resident trout.

The Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) program was in general compliance with most of the performance measures. The audit found that the hatchery was not in compliance with water quality monitoring requirements, alarm requirements, double screening of rearing units, predation control requirements, and in-basin acclimation or rearing, which are all facilities requirements. The hatchery needed to develop specific rearing standards for the IHOT Operations Plan, and develop a smoltification goal and monitoring plan. The hatchery needed to verify compliance with rearing standards. The hatchery was also not in compliance with all the feed storage, transportation, and hatchery sanitation procedures.

The specific areas in which the Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) program requires remedial actions based on the IHOT performance measures are listed below. These remedial actions are listed in alphabetical order without intent of ranking or otherwise assigning priority:

- Check flow alarm daily and other alarms weekly
- Check temperature of moist pellets at delivery
- Conduct IHOT QA/QC tests for feed preparation
- Develop alarm logs
- Develop smoltification goal and monitor
- Develop specific rearing standards for IHOT Operations Plan
- Follow IHOT protocols for disinfection of vehicle interiors and exteriors
- Follow IHOT temperature criteria for transport
- Install security alarms
- Install alarms on intake, large rearing ponds, raceway headboxes and rearing ponds
- Install outside system and buzzer
- Install telephone pages

- Insulate feed hoppers and bulk storage facilities
- Monitor and record DO and TGP and record
- Provide double screens on raceways and ponds
- Provide effective predation control
- Provide rearing or acclimation in the subbasins
- Review production goal or size goal to meet size goal
- Run analysis for water chemistry parameters, turbidity, alkalinity, hardness, nitrite,
 and contaminants
- Verify compliance with rearing standards
- Wear protective garments when handling fish eggs or cultural water

Non-compliance issues resulting from items beyond human control or Performance Measures not relevant to this hatchery (Type 1 in Table 3, Section 4 of this report) were not listed above.

Facility Description

Name: Oak Springs Hatchery
Stock/Species: Summer Steelhead

Winter Steelhead (Clackamas River Stock)

Winter Steelhead (Hood River Stock)

Rainbow Trout

Operating Agency: Oregon Department of Fish and Wildlife

Funding Agency: ODFW

Location: The hatchery is located on the Deschutes River about 9 miles from

Maupin, Oregon

Address: 85001 Oak Springs Road

Maupin, OR 97037

Hatchery Manager: Mr. Randy Robart Phone: (541) 395-2546

Fax: (541) 395-2595

Purpose: The facility, which is operated with state funds, produces steelhead and

resident trout.

Production Goal: Summer Steelhead

Produce 225,000 fingerlings (2,350 lb) for transfer to South Santiam

Hatchery

Produce 170,000 fingerlings (1,250 lb) for transfer to Gnat Creek

Hatchery

Produce 270,000 fingerlings (1,000 lb) for transfer to South Santiam Hatchery

Produce 75,000 smolts (15,000 lb) for release into the Salmon/Zigzag River System

Produce 60,460 smolts (12,000 lb) for release into the Hood River

Winter Steelhead (Clackamas River Stock)

Produce 40,000 smolts (8,000 lb) for release to Clackamas River

Winter Steelhead (Hood River Stock)

Produce 50,000 smolts (10,000 lb) for transfer to Hood River

Rainbow Trout

Produce 3,820,000 eggs and 131,134 lb of fish for various ODFW programs

Water Supply: The present water delivery system can deliver approximately 11,670

gpm to the hatchery. Some mixing with re-use water occurs from one

pond series to another.

Facilities:

Adult Holding: 2 brood ponds for rainbow trout broodstock - 10,818 cf each

2 lower ponds for rainbow trout broodstock - 7,207 cf each

Incubation: 12 16-tray vertical stack incubators - 192 trays

Early Rearing: 4 - 19 foot Canadian troughs Raceways: 2 Burrow ponds - 2680 cf each

8 raceways - 3,481 cf each

Rearing Ponds: 5 circular ponds - 2,120 cf each

9 north ponds - 9,433 cf each

5 lower ponds for rainbow trout - 7,207 cf each

Satellite Facilities: None

Compliance Status

The hatchery audits are based on compliance with written IHOT performance measures. These performance measures are documented in *Policies and Procedures for Columbia Basin*Anadromous Salmonid Hatcheries (referred to as IHOT 1995 in this report).

The purpose of the performance measures is to implement new basinwide policies that provide regional guidelines for operating anadromous hatcheries in the Columbia Basin.

The audit focuses on performance measures for IHOT policies that cover (1) hatchery performance standards, (2) fish health, (3) ecological interaction, and (4) genetics. These performance measures are intended to guide hatchery operations once production is established. For that reason, the hatchery operations audit included broodstock collection, spawning, incubation of eggs, fish rearing and feeding, fish release, equipment maintenance and operations, and personnel training. Production priorities are beyond the scope of this audit.

Based on *IHOT 1995*, a detailed 109-page audit form was developed. The audit form divided the performance measures into six major sections along major program and technical criteria areas. Two additional sections (sections 1 and 8) include general information and expenditure information needed for this Hatchery Evaluation Report and blank forms for additional comments. The following is the basic structure of the IHOT audit form:

Section 1 Performance Measures for General Information and Expenditure

Information (PMs General 1-2)

Integrated Hatchery Operations Team (IHOT) 1995. *Policies and Procedures for Columbia Basin Anadromous Salmonid Hatcheries*, Bonneville Power Administration, Portland, Oregon.

| Section 2 | Performance Measures for Program Objectives (PMs 1-4) |
|-----------|--|
| Section 3 | Performance Measures for Facility Requirements (PMs 5-15) |
| Section 4 | Performance Measures for Hatchery Practices (PMs 16-25) |
| Section 5 | Performance Measures for Fish Health Policy (PMs 26-34) |
| Section 6 | Performance Measures for Ecological Interactions (PMs 35-38) |
| Section 7 | Performance Measures for Genetics Policy (PMs 39-43) |
| Section 8 | Blank Forms for Additional Comments. |

Several performance measures are repeated in various sections of the audit form. These performance measures overlap in *IHOT 1995* and were retained to allow individuals interested in specific portions of the audit (such as Genetics or Fish Health) to determine the compliance status of all performance measures for a given topic in one location. A repeated performance measure is indicated by shaded text.

The Hatchery Audit Process

The hatchery audit will be conducted over a 2-year period that concludes in 1997. At each hatchery, a five-step process was used to complete the overall hatchery audit.

This process consisted of research and onsite visits. The site visit at the Oak Springs Hatchery was conducted on March 10, 1997.

The following is the five-step audit process:

- 1. Information was obtained from headquarters.
- 2. The hatchery manager was asked to fill out and return the **Audit Form**.

- 3. A 1-2 day site audit visit was conducted at each hatchery. During that visit an audit team inspected facilities, reviewed hatchery records, discussed audit form responses, and developed remedial action plans when appropriate.
- 4. During the site visit, the compliance status of each performance measure was discussed with the hatchery manager and IHOT representative. A portion of the Hatchery Evaluation Report was sent to the hatchery manager following the audit visit as a Compliance Report. That Compliance Report is Table 2 of this report.
- 5. Information from steps 1-4 was used to prepare a draft **Hatchery Evaluation Report**. This draft report was submitted to the operating agencies for review of the information used to determine compliance. Based on review and comments, a final Hatchery Evaluation Report was developed. The final report documents the compliance of a particular hatchery with the IHOT performance measures and presents cost estimates to correct any deficiencies.

Compliance Status of Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)

The following table includes information on life-stages that are held on this facility for some portion of their rearing cycle (Table 1). For multi-facility programs, summary cost and contribution data is presented at the facility where rearing occurs. For the compliance status relating to performance measures that do not occur at this hatchery, please refer to the Hatchery Evaluation Reports for the hatcheries and stocks listed in Table 1. A check mark (4) indicates that the specific life-stage is held at this facility.

This section documents the compliance status of the Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) program. Each performance measure is presented in a table taken from the audit form (Table 2). The compliance status is identified by the following categories:

- N/A (not applicable)
- Yes (in compliance)
- ? (unknown; generally due to unavailability of information to determine compliance)
- **No** (not in compliance).

Remedial actions are suggested for performance measures not in compliance. These remedial actions are grouped into categories and listed in Section 4 of this report, where the cost of the required remedial actions is also presented.

Table 1 Summary Program Information for Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)

| Component | | Location | of Adult Holding, Sp | awning, Incubation, | and Rearing | |
|------------------|-----------|-------------|----------------------|---------------------|-------------|--|
| | Clackamas | Oak Springs | | _ | - | |
| | Hatchery | Hatchery | | | | |
| Adult Collection | 4 | | | | | |
| Adult Holding | 4 | | | | | |
| Spawning | 4 | | | | | |
| Fertilization | 4 | | | | | |
| Incubation | | | | | | |
| green-to-eyed | 4 | | | | | |
| eyed-to-hatch | 4 | | | | | |
| Rearing | | | | | | |
| fry | 4 | | | | | |
| fingerlings | | 4 | | | | |
| smolts | | 4 | | | | |
| Release | | 4 | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | Compliance Status | | | ıs | Basis for Compliance or | Remedial Action Needed for |
|------|---|-------------------|-----|---|----|--|----------------------------|
| | | | | | 1 | Non-Compliance | Compliance |
| | | N/A | Yes | ? | No | | |
| #1 | Are the hatchery programs outlined in a subbasin | | 4 | | | Columbia Basin System Planning | |
| | management plan? | | | | | Production Plan and Clackamas subbasin | |
| | | | | | | plan | |
| #2 | Is the hatchery operating under a current hatchery | | 4 | | | IHOT Operations Plan, ODFW Fish | |
| | operational plan? | | | | | Production Schedule, and Oak Springs | |
| | | | | | | Hatchery O&M Manual | |
| | Is it understood by staff? | | 4 | | | | |
| | Is it being followed? | | 4 | | | | |
| #3 | Is a hatchery monitoring and evaluation plan in place? | | | | | | |
| | Do you have a written monitoring and evaluation plan? | 4 | | | | No tagging program for wild steelhead stocks | |
| #4a | Adult contribution to fisheries, spawning grounds, and | 4 | | | | Adults return to Faraday Dam Fishtrap on | |
| | hatchery | | | | | Clackamas River. | |
| #4b | Adult pre-spawning survival as compared with established goal | 4 | | | | Adult holding at Clackamas Hatchery | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | | N/A | Yes | ? | No | |
|-----|---|-----|-----|---|----|---|
| #4c | Egg-take as compared with established hatchery goal | 4 | | | | Spawning at Clackamas Hatchery |
| #4d | Green-egg to eyed-egg survival as compared with established goal | 4 | | | | Incubation at Clackamas Hatchery |
| #4e | Eyed-egg to fry survival as compared with established goal | 4 | | | | Incubation at Clackamas Hatchery |
| #4f | Fry to smolt survival as compared with established goal | | 4 | | | Review of records; in compliance 3 out of last 3 years |
| #4g | Production as compared with established goal | | 4 | | | Review of records; in compliance 3 out of last 3 years |
| #4h | Percent survival (smolt to adult) as compared with established goal | 4 | | | | Adults return to Faraday Dam Fishtrap on Clackamas River. |
| #4i | Number of eggs, fry, fingerlings, smolts, and/or adults to meet basinwide needs | 4 | | | | Review of records/Discussion |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | Compliance Status | | ıs | Basis for Compliance or | Remedial Action Needed for | |
|------|---|-------------------|----------|----------|-------------------------|----------------------------------|------------------------|
| | | | <u></u> | | | Non-Compliance | Compliance |
| | 1 | N/A | Yes | ? | No | 1 | <u> </u> |
| #5a | Temperature | | | | | | |
| | | | | | | | |
| | Does your water temperature meet the criteria for | 4 | | | | Spawning at Clackamas Hatchery | |
| | spawning? | | | | | | |
| | | | | | | | |
| | Does your water temperature meet the criteria for | 4 | | | | Incubation at Clackamas Hatchery | |
| | incubation? | | | | | | |
| | measurem. | | | | | | |
| | Does your water temperature meet the criteria for | | 4 | <u> </u> | | Review of records/Discussion | |
| | | | _ | | | The view of records Biscussion | |
| #5b | rearing? Dissolved gases | | | | | | |
| π30 | Dissolved gases | | | | | | |
| | To the common local account and an 2 | | | 4 | | No. Lete | Monitor DO and record |
| | Is the oxygen level near saturation? | | | 4 | | No data | Monitor DO and record |
| | To the discoluted with a conduction of the continue time of | | | | | No. data | Manitan TCD and manual |
| | Is the dissolved nitrogen level less than saturation? | | | 4 | | No data | Monitor TGP and record |
| | | | | | | | |
| #5c | Chemistry | | | | | | |
| | | | | | | | |
| | Ammonia (un-ionized) | | | 4 | | No data | Run analysis |
| | Carbon Dioxide | | | 4 | | See above | See above |
| | Chlorine | | | 4 | | See above | See above |
| | рН | | | 4 | | See above | See above |
| | Copper Hydrogen Sylfide | | | 4 | | See above See above | See above See above |
| | Hydrogen Sulfide Iron | | | 4 | | See above | See above |
| | Zinc | | | 4 | | See above | See above |
| | ZIIIC | 1 | <u> </u> | 4 | | Sec above | Sec above |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | | N/A | Yes | ? | No | | |
|-----|--|-----|-----|---|----|---------|-----------|
| #5d | Turbidity | | | | | | |
| | | | | | | | |
| | Does your turbidity meet the criteria? | l | | 4 | | No data | See above |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Compliar | ice Stati | us | Basis for Compliance or Non-Compliance | Remedial Action Needed for |
|------|--|------|----------|-----------|----|---|----------------------------|
| | | 27/4 | | | | | Compliance |
| | | N/A | Yes | ? | No | | |
| #5e | Alkalinity and hardness | | | | | | |
| | | | | | | | |
| | Does your alkalinity and hardness meet the criteria? | | | 4 | | No data | Run analysis |
| #5f | Nitrite | | | | | | |
| | | | | | | | |
| | Does your nitrite meet the criteria? | | | 4 | | No data | Run analysis |
| #5g | Contaminants | | | | | | |
| | | | | | | | |
| | | | | | | N. I. | |
| | Aldrin | | | 4 | | No data | Run analysis |
| | Endrin | | | 4 | | See above | See above |
| | Dieldrin | | | 4 | | See above | See above |
| | Heptachlor | | | 4 | | See above | See above |
| | Chlordane | | | 4 | | See above | See above |
| | Methoxychlor | | | 4 | | See above | See above |
| | Lindane | | | 4 | | See above | See above |
| | Malathion | | | 4 | | See above | See above |
| | Guthion | | | 4 | | See above | See above |
| | | | | | | | |
| #5h | Pathogens | | | | | Water supply provided by several | |
| | | | | | | different springs. | |
| | What portions of the hatchery have disease-free water? | | | | | | |
| | | | | | | | |
| | Adult holding | 4 | | | | Adult holding at Clackamas Hatchery | |
| | Incubation | 4 | | | | Incubation at Clackamas Hatchery | |
| | Early rearing | 4 | | | | Early rearing at Clackamas Hatchery | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | N/A | Yes | ? | No | | |
|---------|-----|-----|---|----|-------------------------------------|--|
| Rearing | | 4 | | | Inspection of facilities/Discussion | |
| Others | | 4 | | | Inspection of facilities/Discussion | |
| | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | Compliance Status | | | | Basis for Compliance or | Remedial Action Needed for |
|------|--|-------------------|--------------|---|----------|-------------------------------------|---|
| | | 27/4 | N/A Vos 9 No | | . | Non-Compliance | Compliance |
| 11.6 | | N/A | Yes | ? | No | | |
| #6 | Alarm Systems | | | | | | |
| | Do the following areas have alarms? | | | | | | |
| | | | | | | | |
| | Intake | | | | 4 | Inspection of facilities/Discussion | Install alarms on intake |
| | Large rearing ponds and adult holding ponds | | | | 4 | Inspection of facilities/Discussion | Install alarms on large rearing ponds |
| | Raceway headboxes and rearing ponds | | | | 4 | Inspection of facilities/Discussion | Install alarms on raceway headboxes and |
| | | | | | | | rearing ponds |
| | Incubation facilities | | 4 | | | Inspection of facilities/Discussion | |
| | Quarantine areas and facilities | | 4 | | | Inspection of facilities/Discussion | |
| | Water treatment systems | | 4 | | | Inspection of facilities/Discussion | |
| | Security | | | | 4 | Inspection of facilities/Discussion | Install security alarms |
| | Are there outside systems and buzzers in onsite | | | | 4 | Discussion | Install outside system and buzzers |
| | residences? | | | | | | |
| | Are water flow alarms checked daily? | | | | 4 | Review of records/Discussion | Check flow alarms daily |
| | Are all other alarms checked weekly? | | | | 4 | Discussion | Check other alarms weekly |
| | Is there a log of alarms for emergencies, tests, and | | | | 4 | Review of records/Discussion | Develop alarm log |
| | maintenance requirements? | | | | | | |
| | Are telephone pagers used? | | | | 4 | Discussion | Install telephone pagers |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | | N/A | Yes | ? | No | | |
|----|---|-----|-----|---|----|-----------------------------|--|
| #7 | Adult collection and holding facilities | | | | | | |
| | Do you meet the adult holding criteria? | 4 | | | | No adult holding on station | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Compliar | ice Stati | ıs | | Remedial Action Needed for |
|------|--|-----|----------|-----------|----|-------------------------------------|----------------------------|
| | | N/A | Yes | ? | No | | Compliance |
| #8 | Incubation facilities | | | | | | |
| | Type 1: Vertical stack incubators Do you have an adequate number of units for the overall program? | 4 | | | | No incubation at this hatchery | |
| 110 | Type 2: Do you have an adequate number of units for the overall program? | 4 | | | | | |
| #9 | Rearing facilities Type 1: 19Õ Canadian troughs Do you have an adequate number of units for the overall program? | | 4 | | | Inspection of facilities/Discussion | |
| | Type 2: 300 circulars Do you have an adequate number of units for the overall program? | | 4 | | | Inspection of facilities/Discussion | |
| | Type 3: Rectangular (N series) Do you have an adequate number of units for the overall program? | | 4 | | | Inspection of facilities/Discussion | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | N/A | Yes | ? | No | | |
|---|-----|-----|---|----|-------------------------------------|--|
| Type 4: Michigan raceways | | 4 | | | Inspection of facilities/Discussion | |
| Do you have an adequate number of units for the | | | | | | |
| overall program? | | | | | | |
| | | | | | | |
| Type 5: <u>L series</u> | | 4 | | | Inspection of facilities/Discussion | |
| Do you have an adequate number of units for the | | | | | | |
| overall program? | | | | | | |
| | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | Compliance Status | | | | Basis for Compliance or | Remedial Action Needed for |
|------|--|-------------------|-----|---|----|-------------------------------------|-------------------------------------|
| | | | | | | Non-Compliance | Compliance |
| | | N/A | Yes | ? | No | | |
| #10 | Screening facilities | | | | | | |
| | | | | | | | |
| | Do you meet the approach velocity criteria? | 4 | | | | No wild fish in water supply | |
| | | | | | | | |
| | Are the fish screens regularly cleaned? | | 4 | | | Inspection of facilities/Discussion | |
| | | | | | | | |
| | Does the screen mesh meet screen opening criteria? | 4 | | | | No wild fish in water supply | |
| | | | | | | | |
| | Are rearing containers double screened for fish that | | | | 4 | Inspection of facilities/Discussion | Provide double screens |
| | should not be released to adjacent water? | | | | | | |
| #11 | Predator control facilities | | | | | | |
| | | | | | | | |
| | Are your predation control facilities effective? | | | | 4 | Inspection of facilities/Discussion | Provide effective predation control |
| | | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | C | Compliar | ice Stati | 1S | Basis for Compliance or | Remedial Action Needed for |
|------|--|-----|----------|-----------|-----|-------------------------------------|-----------------------------------|
| | | N/A | Yes | ? | No | Non-Compliance | Compliance |
| #12 | Food storage facilities and quality control | IVA | Tes | • | 140 | | |
| | Does the storage of dry/semi-moist/moist foods | | 4 | | | Inspection of facilities/Discussion | |
| | (dry<12%; semi-moist 12-20%; moist >20% moisture) | | | | | | |
| | follow food manufacturerÕs recommendations? | | | | | | |
| | Does a regional quality control officer oversee | | | | | | |
| | production procedures and monitor: | | | | | | |
| | Verification by feed manufacturer that ingredients | | | | 4 | Discussion | Conduct IHOT QA/QC tests for feed |
| | meet specifications? | | | | | | preparation |
| | Ensure feed does not contain unwanted drugs or | | | | 4 | Discussion | See above |
| | other additives? | | | | | | |
| | Analyze ingredients contained in the final food | | | | 4 | Discussion | See above |
| | product to ensure that feed specifications have been | | | | | | |
| | met? | | | | | | |
| | Are the foods stored and handled according to the | | | | | | |
| | following criteria? | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | N/A | Yes | ? | No | | |
|---|-----|-----|---|----|-------------|---|
| Moist pellets should not exceed 10°F at point of | | | 4 | | Not sampled | Check temperature of moist pellets at |
| delivery. | | | | | | delivery |
| Moist pellets should be removed from freezer just prior to feeding. | | 4 | | | Discussion | |
| Do not leave buckets of feed or feed containers outside exposed to light or heat. | | 4 | | | Discussion | |
| Open bags of feed should be fed within 1 to 2 days except when feeding small groups of fish. | | 4 | | | Discussion | |
| Automatic feeder hoppers and bulk storage facilities should be insulated against excessive temperatures (80°F and above). | | | | 4 | Discussion | Insulate feed hoppers and bulk storage facilities |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Complia | nce Statu | ıs | Basis for Compliance or | Remedial Action Needed for |
|------|--|-----|---------|-----------|----|-------------------------------------|----------------------------|
| | | | | | | Non-Compliance | Compliance |
| | | N/A | Yes | ? | No | | |
| #13 | Release facilities | | | | | | |
| | | | | | | | |
| | Do the release facilities ensure that fish are not | 4 | | | | No on-site releases | |
| | subjected to adverse conditions? | | | | | | |
| | | | | | | | |
| #14 | Pollution abatement facilities | | | | | | |
| | | | | | | | |
| | Do the pollution abatement facilities meet all federal | | 4 | | | Inspection of facilities/Discussion | |
| | and state regulations (or good engineering practice)? | | | | | | |
| | | | | | | | |
| | Are pollution abatement facilities operated correctly? | | 4 | | | Discussion | |
| #15 | Transportation facilities | | | | | | |
| | | | | | | | |
| | Are the transport systems adequate to meet IHOT | | 4 | | | Inspection of facilities/Discussion | |
| | performance measures for transportation practices? | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Compliar | nce Statu | ıs | Basis for Compliance or | Remedial Action Needed for |
|------|--|------|----------|-----------|----------|----------------------------------|----------------------------|
| | | 27/4 | | | l N | Non-Compliance | Compliance |
| #16 | Duradetask salastion musetics | N/A | Yes | ? | No | | |
| #10 | Broodstock selection practices | | | | | | |
| | Is the donor selection process document attached? (PM | 4 | | | | Existing program; does not apply | |
| | #40a) | | | | | | |
| | Was the donor selection outline followed in selecting | 4 | | | | Existing program; does not apply | |
| | the hatchery broodstock? (PM #40b-c) | | | | | | |
| #17 | Spawning practices | | | | | | |
| | | | | | | | |
| | Were the appropriate number of spawners, male/female | 4 | 1 | | | Spawning at Clackamas Hatchery | |
| | ratios, and fertilization protocols used? (PM #42c-g) | | | | | | |
| #18 | Incubation practices | | | | | | |
| | Are specific incubation standards listed in the hatchery | 4 | | | <u>.</u> | No incubation at this hatchery | |
| | operations plan? | | | | | | |
| | Are incubation practices written? | 4 | | | | See above | |
| | Incubation Type 1: <u>Vertical stack</u> (see PM #8) | 4 | | | | See above | |
| | Do you meet the loading and flow criteria? | | | | | | |
| | | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | N/A | Yes | ? | No | | |
|--|-----|-----|---|----|-----------|--|
| Incubation Type 2: (see PM #8) | 4 | | | | See above | |
| Do you meet the loading and flow criteria? | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | M # Description of Performance Measure | | Complia | nce Statı | ıs | Basis for Compliance or | Remedial Action Needed for |
|------|---|-----|---------|-----------|----|--------------------------------------|--|
| | | | I | T _ | | Non-Compliance | Compliance |
| | | N/A | Yes | ? | No | | |
| #19 | Rearing practices | | | | | | |
| | | | | | | D : WOTH I O I DI | |
| | Are specific rearing standards listed in the hatchery | | | | 4 | Review IHOT Hatchery Operations Plan | Develop specific rearing standards for the |
| | operations plan? | | | | | | IHOT Operations Plan |
| | Are rearing practices written? | | | | 4 | Review Hatchery Operations Plan | See above |
| | Rearing Unit Type 1: 190 Canadian troughs (see PM | | | | | | |
| | #9) | | | | | | |
| | Do you meet the density and DI criteria? | 4 | | | | Not used | |
| | Do you meet the Loading and FI criteria? | 4 | | | | Not used | |
| | Rearing Unit Type 2: <u>300 circulars</u> (see PM #9) | | | | | | |
| | Do you meet the density and DI criteria? | 4 | | | | Review of records/Discussion | Develop specific rearing standards |
| | Do you meet the Loading and FI criteria? | 4 | | | | Review of records/Discussion | Develop specific rearing standards |
| | Rearing Unit Type 3: N series rectangular raceways | | | | | | |
| | (see PM #9) | | | | | | |
| | Do you meet the density and DI criteria? | 4 | | | | Not used | |
| | Do you meet the Loading and FI criteria? | 4 | | | | Not used | |
| | Rearing Unit Type 3: Michigan raceways (see PM | | | | | | |
| | #9) Do you meet the density and DI criteria? | 4 | | | | Not used | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | | N/A | Yes | ? | No | | |
|-----|--|-----|-----|---|----|------------|--|
| | Do you meet the Loading and FI criteria? | 4 | | | | Not used | |
| | | | | | | | |
| | Rearing Unit Type 3: L series ponds | | | | | | |
| | (see PM #9) | | | | | | |
| | Do you meet the density and DI criteria? | 4 | | | | Not used | |
| | Do you meet the Loading and FI criteria? | 4 | | | | Not used | |
| #20 | Smolt quality | | | | | | |
| | | | | | | | |
| | Do you produce a high quality smolt? | I | 4 | | | Discussion | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| 'M # | Description of Performance Measure | C | Complian | nce Statu | IS | Basis for Compliance or | Remedial Action Needed for |
|--------------|--|-----|----------|-----------|----------|--|----------------------------|
| | | | | | T | Non-Compliance | Compliance |
| | | N/A | Yes | ? | No | | |
| #21 F | Fish health management practices | | | | | | |
| | | | | | | | |
| | Are the monthly hatchery monitoring visits being | | 4 | | | Review of records/Discussion | |
| | conducted? (PM #26) | | | | | | |
| | `` | | | | | | |
| | Are the annual broodstock inspections being | 4 | | | <u> </u> | Broodstock at Clackamas Hatchery | |
| | conducted? (PM #27) | | | | | , and the second | |
| | conducted: (FIVI #21) | | | | | | |
| | Is there pathogen-free water (PM #5h)and are the | | 4 | | | Review of records/Discussion | |
| | | | 4 | | | Review of feeding Discussion | |
| | sanitation procedures being followed? (PM #28) | | | | | | |
| | | | | | | | |
| | Are the following water quality parameters within | | | | | | |
| | criteria? (PM #5a-5g) | | | | | | |
| | | | | | | | |
| | Water temperature | | 4 | | | Review of records/Discussion | |
| | Dissolved gases | | | 4 | | Review of records/Discussion | See PM #5b |
| | Chemistry | | | 4 | | Review of records/Discussion | See PM #5c |
| | Turbidity | | | 4 | | Review of records/Discussion | See PM #5d |
| | Alkalinity and hardness | | | 4 | | Review of records/Discussion | See PM #5e |
| | Nitrite | | | 4 | | Review of records/Discussion | See PM #5f |
| | Contaminants | | | 4 | | Review of records/Discussion | See PM #5f |
| | | | | | | | |
| | Are rearing standards being followed? (PM #19) | | | 4 | | Review of records/Discussion | See PM #19 |
| | Contaminants Are rearing standards being followed? (PM #19) | | | | | Review of records/Discussion Review of records/Discussion | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | N/A | Yes | ? | No | | |
|---|-----|-----|---|----|------------------------------|--|
| Are egg and fish transfer/release requirements met? | | 4 | | | Review of records/Discussion | |
| (PM #31) | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Compliance Status | | ıs | Basis for Compliance or | Remedial Action Needed for |
|-------|---|-----|-------------------|---|----|--------------------------------|---|
| | | | 1 | T | | Non-Compliance | Compliance |
| | | N/A | Yes | ? | No | | |
| #22a | Does hatchery performance meet requirements | | | | | | |
| | outlined in the regional hatchery policies and in | | | | | | |
| | subbasin and hatchery plans for the following areas? | | | | | | |
| #22a1 | Percent smoltification | | | | | | |
| | Do you measure percent smoltification? | | | | 4 | Discussion | Develop smoltification goal and monitor |
| | Do you have a smoltification goal | | | | 4 | Discussion | See above |
| | Did you meet the smoltification criteria? | | | 4 | | Discussion | See above |
| #22a2 | Rearing density (prior to release) | | | | | | |
| | Did you meet the rearing density criteria just prior to | | | 4 | | No criteria | Develop rearing density criteria |
| | release? | | | | | | |
| #22a3 | Disease condition (at release) | | | | | | |
| | Did you meet all disease regulations just prior to | | 4 | | | Review of records/Discussion | |
| | release? | | | | | | |
| #22a4 | Number (at release) | | | | | | |
| | Did you meet the release number goal? | | 4 | | | Review of records/Discussion | |
| #22a5 | Size at release | | | | | | |
| | Did you meet the size goal? | | | | 4 | Did not make size goal in 1996 | Review production goal and/or size goal |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | | N/A | Yes | ? | No | | |
|-------|--|-----|-----|---|----|------------------------------|---------------------------------------|
| #22a6 | Dates of release | | | | | | |
| | | | | | | | |
| | Did you meet the release date goal? | | 4 | | | Review of records/Discussion | |
| #22a7 | Location of release | | | | | | |
| | | | | | | | |
| | Did you release the fish at the specified location? | | 4 | | | Review of records/Discussion | |
| #22b | Are fish reared in the subbasin or acclimated in the | | | | | | |
| | subbasin? | | | | | | |
| | | | | | | | |
| | Are the fish reared in the subbasin? | | | | 4 | Discussion | Provide rearing or acclimation in the |
| | | | | | | | subbasins |
| | Are the fish acclimated in the subbasin? | | | | 4 | Discussion | See above |
| | | | | | | | |
| #22c | Is the release strategy appropriate for the program? | | 4 | | | Discussion | |
| | | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Compliance Status | | us | Basis for Compliance or | Remedial Action Needed for |
|------|--|------|-------------------|---|-----|-------------------------|---|
| | | N/A | Yes | ? | No | Non-Compliance | Compliance |
| #23 | Transportation facilities | IV/A | 1 68 | • | 140 | | |
| | Do transportation equipment and personnel receive disinfection before and after use? | | 4 | | | Discussion | |
| | Is the fish tank interior disinfected using a solution of 200 ppm active chlorine for 30 minutes minimum or formaldehyde gas generation method (relative humidity of 60% for 2 hrs)? | | 4 | | | Discussion | |
| | Is the exterior of the fish transport vehicle disinfected using high pressure steam (115-130°C), high temperature acid, or with 200 ppm chlorine for 30 minutes? | | | | 4 | Discussion | Follow IHOT protocols for disinfection of vehicle interiors and exteriors |
| | Is the fish transport vehicle (cab) disinfected using 600 ppm quaternary ammonia compounds (1.5 ml of 50% stock solution/liter water)? | | | | 4 | Discussion | See above |
| | Is other equipment disinfected including fish pumps, nets, egg sorters, waders, boots, rain gear, hoses and other equipment using one of the following solutions? | 4 | | | | Discussion | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| i |
|--------------|
| nen handling |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Compliar | nce Statu | IS | Basis for Compliance or | Remedial Action Needed for |
|--------|--|-----|----------|-----------|----|-------------------------|--------------------------------------|
| | | N/A | Vac | ? | No | Non-Compliance | Compliance |
| #23 | Transportation facilities | N/A | Yes | • | No | | |
| (cont) | - | | | | | | |
| | Does the fish transport unit receive an inspection prior | | 4 | | | Discussion | |
| | to loading? | | | | | | |
| | Does a pre-loading inspection covering tank water | | 4 | | | Discussion | |
| | level, pumps or aerators, oxygen injection system | | | | | | |
| | settings, displacement gauge, and truck loading/hauling | | | | | | |
| | density tables checked and reviewed occur prior to | | | | | | |
| | loading fish in the transport unit? | | | | | | |
| | Do hauling criteria include checking the fish 45 | | 4 | | | Discussion | |
| | minutes to 1 hour after loading? | | | | | | |
| | When fish are active and systems are functioning | | 4 | | | Discussion | |
| | properly, is the oxygen concentration reduced and | | | | | | |
| | maintained at approximately 8 ppm? | | | | | | |
| | Is water temperature in the transportation unit | | | | 4 | Discussion | Follow IHOT temperature criteria for |
| | maintained within the 42-48 °F range? | | | | | | transport |
| | | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | N/A | Yes | ? | No | | |
|--|-----|-----|---|----|------------|--|
| Do fish releasing procedures include the following | | | | | | |
| criteria? | | | | | | |
| Releasing the fish at the correct release site or into the correct water body. | | 4 | | | Discussion | |
| Tempering or the difference between the liberation tank and the target water body should not exceed 10°F. | | 4 | | | Discussion | |
| The liberation hose should be angled so that fish gently hit the water. Using a tripod is a method of ensuring the hose will stay at the proper angle. | | 4 | | | Discussion | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Compliar | nce Statu | ıs | Basis for Compliance or | Remedial Action Needed for |
|------|--|-------|----------|-----------|-----|------------------------------------|----------------------------|
| | | N/A | Yes | ? | No | Non-Compliance | Compliance |
| #24 | Evaluation practices | 1,112 | 105 | | 110 | | |
| | Has the hatchery conducted fishery contribution studies to: | | | | | | |
| | Determine the requirements for evaluating and improving management programs? | 4 | | | | All fish return to Clackamas River | |
| | Develop guidelines that define the geographical area and identify component stocks (hatchery and/or wild) that comprise the management unit? | 4 | | | | | |
| | Develop guidelines that define if the proper stocks of fish are currently being used? | 4 | | | | | |
| | Determine which management units contribute to a specific fishery and the time periods of those contributions? | 4 | | | | | |
| | Determine the relative contributions of the various management units to a specific fishery over the different time periods? | 4 | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | | Compliance Status | | 18 | Basis for Compliance or | Remedial Action Needed for |
|------|--|-----|--------------------------|---|----|------------------------------|----------------------------|
| | | N/A | Yes | ? | No | Non-Compliance | Compliance |
| #25 | Training practices | | | | | | |
| | Does the hatchery have a training schedule for its staff? | | 4 | | | Review of records/Discussion | |
| | Does each staff member have a personal training plan approved by a supervisor and reviewed annually? | | 4 | | | Review of records/Discussion | |
| | Does the hatchery routinely exchange training details between other hatcheries and agencies? | | 4 | | | Review of records/Discussion | |
| | Does the hatchery encourage and reward off-duty training of staff? | | 4 | | | Review of records/Discussion | |
| | Does the hatchery conduct monthly staff meetings? | | 4 | | | Review of records/Discussion | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | | Compliance Status | | 1S | Basis for Compliance or | Remedial Action Needed for |
|------|---|-----|-------------------|---|-----|------------------------------|----------------------------|
| | | N/A | Yes | ? | No | Non-Compliance | Compliance |
| #26 | Are monthly hatchery monitoring visits being | IVA | TCS | • | 110 | | |
| | conducted by a qualified fish health specialist as | | | | | | |
| | described below? | | | | | | |
| | Conduct visit at least monthly | | 4 | | | Review of records/Discussion | |
| | Monitoring conducted by qualified fish health specialist | | 4 | | | Review of records/Discussion | |
| | Examine a representative sample of healthy and | | 4 | | | Review of records/Discussion | |
| | moribund fish from each lot. | | | | | | |
| | Review fish culture practices with hatchery manager. | | 4 | | | Review of records/Discussion | |
| | Report finding and results of necropsies on standard | | 4 | | | Review of records/Discussion | |
| | form. | | | | | | |
| | Recommend appropriate drug or chemical treatment. | | 4 | | | Review of records/Discussion | |
| | Summarize fish health status or stock prior to release or | | 4 | | | Review of records/Discussion | |
| | transfer to another facility. | | | | | | |
| #27 | Are all of the functions of the hatchery yearly | | | | | | |
| | monitoring visits being completed as described below? | | | | | | |
| | I | | | | | l | I |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | N/A | Yes | ? | No | |
|--|-----|-----|---|----|------------------------------|
| Annually examine each broodstock for the presence of | | 4 | | | Review of records/Discussion |
| reportable viral pathogens. | | | | | |
| Annually screen each salmon broodstock for the presence of <i>Renibacterium salmoninarum</i> . | | 4 | | | Review of records/Discussion |
| Conduct inspection by or under the supervision of qualified fish health specialist. | | 4 | | | Review of records/Discussion |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| Description of Performance Measure | Compliance Status | | ıs | Basis for Compliance or | Remedial Action Needed for | |
|--|--|--|---|--|---|--|
| | | | | | Non-Compliance | Compliance |
| Is the hatchery following accepted sanitation | N/A | Yes | ? | No | | |
| procedures? | | | | | | |
| Are there any sources of pathogen-free water, | | 4 | | | Discussion | |
| especially for incubation and early rearing? | | | | | | |
| Are the hatchery sanitation procedures understood and | | | | <u>.</u> | | |
| being followed as described below? | | | | | | |
| Disinfect/water harden eggs in iodophor? | 4 | | | | Incubation at Clackamas Hatchery | |
| Are foot baths containing disinfectant placed at the | 4 | | | | Incubation at Clackamas Hatchery | |
| incubation facilityÕs entrance and exit? | | | | | | |
| Is equipment and rain gear utilized in broodstock | 4 | | | | Broodstock collected at Clackamas | |
| handling or spawning sanitized prior to its use | | | | | Hatchery | |
| elsewhere in the hatchery? | | | | | | |
| Is equipment used to collect dead fish sanitized prior | | 4 | | | Inspection of facilities/Discussion | |
| its use in another pond and/or lot of fish? | | | | | | |
| | Is the hatchery following accepted sanitation procedures? Are there any sources of pathogen-free water, especially for incubation and early rearing? Are the hatchery sanitation procedures understood and being followed as described below? Disinfect/water harden eggs in iodophor? Are foot baths containing disinfectant placed at the incubation facilityÕs entrance and exit? Is equipment and rain gear utilized in broodstock handling or spawning sanitized prior to its use elsewhere in the hatchery? Is equipment used to collect dead fish sanitized prior | Is the hatchery following accepted sanitation procedures? Are there any sources of pathogen-free water, especially for incubation and early rearing? Are the hatchery sanitation procedures understood and being followed as described below? Disinfect/water harden eggs in iodophor? Are foot baths containing disinfectant placed at the incubation facilityÕs entrance and exit? Is equipment and rain gear utilized in broodstock handling or spawning sanitized prior to its use elsewhere in the hatchery? Is equipment used to collect dead fish sanitized prior | Is the hatchery following accepted sanitation procedures? Are there any sources of pathogen-free water, especially for incubation and early rearing? Are the hatchery sanitation procedures understood and being followed as described below? Disinfect/water harden eggs in iodophor? Are foot baths containing disinfectant placed at the incubation facilityŌs entrance and exit? Is equipment and rain gear utilized in broodstock handling or spawning sanitized prior to its use elsewhere in the hatchery? Is equipment used to collect dead fish sanitized prior 4 | Is the hatchery following accepted sanitation procedures? Are there any sources of pathogen-free water, especially for incubation and early rearing? Are the hatchery sanitation procedures understood and being followed as described below? Disinfect/water harden eggs in iodophor? Are foot baths containing disinfectant placed at the incubation facility Ös entrance and exit? Is equipment and rain gear utilized in broodstock handling or spawning sanitized prior to its use elsewhere in the hatchery? Is equipment used to collect dead fish sanitized prior 4 | Is the hatchery following accepted sanitation procedures? Are there any sources of pathogen-free water, especially for incubation and early rearing? Are the hatchery sanitation procedures understood and being followed as described below? Disinfect/water harden eggs in iodophor? Are foot baths containing disinfectant placed at the incubation facilityŌs entrance and exit? Is equipment and rain gear utilized in broodstock handling or spawning sanitized prior to its use elsewhere in the hatchery? Is equipment used to collect dead fish sanitized prior 4 | Is the hatchery following accepted sanitation procedures? Are there any sources of pathogen-free water, especially for incubation and early rearing? Are the hatchery sanitation procedures understood and being followed as described below? Disinfect/water harden eggs in iodophor? Are foot baths containing disinfectant placed at the incubation facility on the sanitation broodstock handling or spawning sanitized prior to its use elsewhere in the hatchery? Is equipment used to collect dead fish sanitized prior Are four baths containing disinfectant placed at the incubation facility on the sanitized prior to its use elsewhere in the hatchery? Is equipment used to collect dead fish sanitized prior A vertically the sanitation procedures water, 4 Incubation at Clackamas Hatchery Inspection of facilities/Discussion |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | N/A | Yes | ? | No | | |
|--|-----|-----|---|----|-------------------------------------|--|
| Is equipment, including vehicles used to transfer | | 4 | | | Inspection of facilities/Discussion | |
| fish between facilities, disinfected prior to use with | | | | | | |
| any other fish lots or at any other location? | | | | | | |
| | | | | | | |
| Are rearing vessels sanitized after fish are removed | | 4 | | | Inspection of facilities/Discussion | |
| and prior to introducing a new fish lot or stock? | | | | | | |
| | | | | | | |
| Are dead fish properly disposed of? | | 4 | | | Inspection of facilities/Discussion | |
| | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Compliar | nce Statu | IS | Basis for Compliance or | Remedial Action Needed for |
|------|---|-------|----------|-----------------------|-----|--|---|
| | | N/A | Yes | ? | No | Non-Compliance | Compliance |
| #29 | Are water quality parameters being followed? | 14/11 | 103 | • | 110 | | |
| | Are the following water quality parameters within criteria? (PM #5a-5g) | | | | | | |
| | Water temperature Dissolved gases Chemistry Turbidity Alkalinity and hardness Nitrite Contaminants | | 4 | 4 4 4 4 4 | | Review of records/Discussion | See PM #5b See PM #5c See PM #5d See PM #5e See PM #5f See PM #5f |
| | Go to PM #21 | | | | | | |
| #30 | Are the incubation practices following the IHOT incubation criteria? (PM #18) Are the rearing practices following the IHOT | 4 | | 4 | | Incubation at Clackamas Hatchery Review of records/Discussion | See PM #19 |
| | criteria? (PM #19) Go to rearing practices PM #18-PM #19 | | | | | | |
| #31 | Are egg and fish transfer/release requirements met? | | 4 | | | Discussion | |

| Table 2 | Oak Springs Hatchery - W | inter Steelhead (Clackamas | River Stock) Comple | iance With Performance | Measures |
|---------|--------------------------|----------------------------|---------------------|------------------------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | Compliance Status | | ıs | Basis for Compliance or | Remedial Action Needed for | |
|------|--|-------------------|-----|----|-------------------------|--|------------|
| | | | | | | Non-Compliance | Compliance |
| | | N/A | Yes | ? | No | | |
| #32 | Is the hatchery's program outlined in a subbasin | | 4 | | | Columbia Basin System Planning | |
| | management plan? | | | | | Production Plan and Clackamas Subbasin | |
| | | | | | | Plan | |
| | Go to subbasin plan PM #1 | | | | | | |
| #33 | Is the hatchery operating under a current hatchery | | 4 | | | Review IHOT Operations Plan | |
| | operational plan? | | | | | | |
| | Go to operational plan PM #2 | | | | | | |
| #34 | Is a hatchery monitoring and evaluation plan in place? | 4 | | | | Adults return to Clackamas River | |
| | Go to hatchery monitoring and evaluation plan PM #3 | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | | | | | Basis for Compliance or | Remedial Action Needed for |
|---|--|---|---|--|---|--|
| | | | l N | Non-Compliance | Compliance | |
| Does the hatchery program meet requirements | N/A | Yes | ? | No | | |
| | | | | | | |
| stablished in the regional hatchery policies and | | | | | | |
| ubbasin planning documents in the following areas: | | | | | | |
| pecies, stock, broodstock collection location, | | | | | | |
| roodstock numbers, broodstock collection strategy, | | | | | | |
| nd spawning and egg-take protocols? | | | | | | |
| Does the hatchery program meet the requirements for | | | | | | |
| the following? | | | | | | |
| Species protocols (PM #1) | | 4 | | | Review of records/Discussion | |
| Stock protocols (PM #1) | | 4 | | | Review of records/Discussion | |
| Broodstock collection location protocols (PM #41b | 4 | | | | Broodstock collected at Clackamas | |
| for existing program; PM #39b for new program) | | | | | Hatchery | |
| Broodstock numbers protocols (PM #42c) | 4 | | | | See above | |
| Broodstock collection strategy protocols (PM #41b- | 4 | | | | See above | |
| d for existing program; PM 39b-f for new program) | | | | | | |
| L L | pecies, stock, broodstock collection location, roodstock numbers, broodstock collection strategy, and spawning and egg-take protocols? Does the hatchery program meet the requirements for the following? Species protocols (PM #1) Stock protocols (PM #1) Broodstock collection location protocols (PM #41b for existing program; PM #39b for new program) Broodstock numbers protocols (PM #42c) Broodstock collection strategy protocols (PM #41b- | bbasin planning documents in the following areas: becies, stock, broodstock collection location, roodstock numbers, broodstock collection strategy, and spawning and egg-take protocols? Does the hatchery program meet the requirements for the following? Species protocols (PM #1) Stock protocols (PM #1) Broodstock collection location protocols (PM #41b for existing program; PM #39b for new program) Broodstock numbers protocols (PM #42c) 4 Broodstock collection strategy protocols (PM #41b-4 | bbasin planning documents in the following areas: becies, stock, broodstock collection location, roodstock numbers, broodstock collection strategy, and spawning and egg-take protocols? Does the hatchery program meet the requirements for the following? Species protocols (PM #1) Stock protocols (PM #1) Broodstock collection location protocols (PM #41b for existing program; PM #39b for new program) Broodstock numbers protocols (PM #42c) Broodstock collection strategy protocols (PM #41b 4 | bbasin planning documents in the following areas: becies, stock, broodstock collection location, roodstock numbers, broodstock collection strategy, and spawning and egg-take protocols? Does the hatchery program meet the requirements for the following? Species protocols (PM #1) Stock protocols (PM #1) Broodstock collection location protocols (PM #41b for existing program; PM #39b for new program) Broodstock numbers protocols (PM #42c) 4 Broodstock collection strategy protocols (PM #41b-4 | bibbasin planning documents in the following areas: becies, stock, broodstock collection location, roodstock numbers, broodstock collection strategy, and spawning and egg-take protocols? Does the hatchery program meet the requirements for the following? Species protocols (PM #1) Stock protocols (PM #1) Broodstock collection location protocols (PM #41b for existing program; PM #39b for new program) Broodstock numbers protocols (PM #42c) Broodstock collection strategy protocols (PM #41b 4 | bbasin planning documents in the following areas: becies, stock, broodstock collection location, roodstock numbers, broodstock collection strategy, and spawning and egg-take protocols? Does the hatchery program meet the requirements for the following? Species protocols (PM #1) Stock protocols (PM #1) Broodstock collection location protocols (PM #41b for existing program; PM #39b for new program) Broodstock numbers protocols (PM #42c) Broodstock collection strategy protocols (PM #41b See above |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | N/A | Yes | ? | No | | |
|--------------------------------|-----|-----|---|----|-----------|--|
| Spawning protocols (PM #42d-e) | 4 | | | | See above | |
| Egg-take protocols (PM #42f-g) | 4 | | | | See above | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | Compliance Status | | | ıs | Basis for Compliance or | Remedial Action Needed for |
|------|--|-------------------|-----|---|-----|--|----------------------------|
| | | N/A | Yes | ? | No | Non-Compliance | Compliance |
| #36 | Does the hatchery's performance meet requirements outlined in the regional hatchery policies and in subbasin and hatchery plans for the following areas: percent smoltification, rearing density, disease condition, and the number, size date(s), and location of | IVA | 165 | • | 110 | | |
| | release? Percent smoltification (PM #22a1) | | | | 4 | Review of records/Discussion | See PM #22a1 |
| | Rearing density (PM #22a2) Disease condition (PM #22a3) | | 4 | 4 | | Review of records/Discussion Review of records/Discussion | See PM #22a2 |
| | Number at release (PM #22a4) | | 4 | | | Review of records/Discussion | |
| | Size at release (PM #22a5) | | | | 4 | Review of records/Discussion | See PM #22a5 |
| | Date of release (PM #22a6) | | 4 | | | Review of records/Discussion | |
| | Location of release (PM #22a7) | | 4 | | | Review of records/Discussion | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| | | N/A | Yes | ? | No | | |
|-----|--|-----|-----|---|----|------------|-------------|
| #37 | Are fish reared in the subbasin or acclimated in the | | | | 4 | Discussion | |
| | subbasin? | | | | | | See PM #22b |
| | See PM #22b | | | | | | |
| #38 | Is the release strategy appropriate for the program? | | 4 | | | Discussion | |
| | See PM #22c | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | Compliance Status | | | us | Basis for Compliance or | Remedial Action Needed for |
|------|--|-------------------|-----|---|----|----------------------------------|----------------------------|
| | | | | | 1 | Non-Compliance | Compliance |
| | | N/A | Yes | ? | No | | |
| #39 | For new programs, has a broodstock collection plan | | | | | | |
| | been developed? | | | | | | |
| #39a | Is the broodstock collection plan written? | 4 | | | | Existing Program; does not apply | |
| | For a non-captive broodstock program: | 4 | | | | Existing Program; does not apply | |
| #39b | Was an unbiased, representative sample collected? | | | | | | |
| #39c | Was the recommended number of broodstock collected? | 4 | | | | Existing Program; does not apply | |
| | For a captive broodstock program: | | | | | | |
| #39d | Were captive brood progeny excluded as donors for propagating the next generation of the captive broodstock program? | 4 | | | | Existing Program; does not apply | |
| #39e | Were full-sib crosses avoided? | 4 | | | | Existing Program; does not apply | |
| #39f | Is the broodstock collection plan understood and being followed by staff? | 4 | | | | Existing Program; does not apply | |

 Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)
 Compliance With Performance Measures

| | | N/A | Yes | ? | No | |
|------|--|-----|-----|---|----|----------------------------------|
| #40 | For a new program, was the donor selection outline | | | | | |
| | followed in selecting the hatchery broodstock? | | | | | |
| #40a | Is a donor selection plan written? | 4 | | | | Existing Program; does not apply |
| #40b | Was the donor selection outline followed in selecting the broodstock? | 4 | | | | Existing Program; does not apply |
| #40c | Was the target stock recommended in the donor selection process actually used? | 4 | | | | Existing Program; does not apply |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | Compliance Status | | | ıs | Basis for Compliance or | Remedial Action Needed for |
|------|---|-------------------|-----|---|----|-----------------------------------|----------------------------|
| | | 27/1 | | | l | Non-Compliance | Compliance |
| | | N/A | Yes | ? | No | | |
| #41 | For existing programs, were the broodstock collection | | | | | | |
| | procedures followed? | | | | | | |
| | | | | | | | |
| #41a | Is the broodstock collection plan written? | 4 | | | | Broodstock collected at Clackamas | |
| | | | | | | Hatchery | |
| | | | | | | | |
| | Does the broodstock collection plan follow the | | | | | See above | |
| | guideline: | | | | | | |
| | | | | | | | |
| #41b | Was an unbiased, representative sample collected? | 4 | | | | See above | |
| | | | | | | | |
| #41c | Was the recommended number of broodstock | 4 | | | | See above | |
| | collected? | | | | | | |
| | | | | | | | |
| #41d | Were the broodstock collection procedures in | 4 | | | | See above | |
| | hatchery operation plan understood and followed? | | | | | | |
| | | | | | | | |

Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Compliance Status | | 18 | Basis for Compliance or Non-Compliance | Remedial Action Needed for Compliance |
|------|---|-----|-------------------|---|----|--|--|
| | | N/A | Yes | ? | No | Non-Compnance | Compliance |
| #42 | Was the appropriate number of spawners, male/female | | | | | | |
| | ratios, and fertilization protocols used? | | | | | | |
| #42a | Are the spawning protocols written? | 4 | | | | Spawning at Clackamas Hatchery | |
| #42b | Are daily or weekly spawning logs available? | 4 | | | | See above | |
| #42c | Was the appropriate number of spawners used? | 4 | | | | See above | |
| #42d | Did you attempt to spawn all collected broodstock and randomize mating with respect to age class, and other | 4 | | | | See above | |
| | traits? | | | | | | |
| #42e | Was the sex-ratio within the limits given in the | 4 | | | | See above | |
| | performance standards? | | | | | | |
| #42f | Were the fertilization protocols followed? | 4 | | | | See above | |
| #42g | If the hatchery needed to reduce the number of eggs | 4 | | | | See above | |
| | retained, was this done by representative sampling of | | | | | | |
| | each male/female cross? | | | | | | |

 Table 2 Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)
 Compliance With Performance Measures

| PM # | Description of Performance Measure | (| Compliance Status | | 18 | Basis for Compliance or | Remedial Action Needed for |
|------|--|-----|-------------------|---|----|----------------------------------|----------------------------|
| | | N/A | Yes | ? | No | Non-Compliance | Compliance |
| #43 | Is there a genetics monitoring and evaluation program | | | | | | |
| | in place? | | | | | | |
| | Is a genetics monitoring and evaluation program available? | 4 | | | | Adults return to Clackamas River | |
| | Does the plan address the following elements listed in IHOT: | | | | | See above | |
| | Does the program have elements needed to meet evaluation goals 1-4? | 4 | | | | See above | |
| | Has a qualified geneticist reviewed and endorsed the program (goal 5)? | 4 | | | | See above | |
| | Will the program collect the data and maintain the records needed to evaluate compliance on an ongoing basis (goal 5)? | 4 | | | | See above | |
| | Is the program understood and followed by staff? | 4 | | | | See above | |

Remedial Actions

Based on the compliance status for each performance measure, remedial actions were developed. The required remedial actions are organized into five categories. The types of categories range across a spectrum from those actions that are beyond human control, to those that require a change in agency policy or procedures, to those that involve a significant capital cost to put in place. The following are the five types of remedial actions identified under phase 1 of the audit:

The Five Types of Remedial Actions

| Туре | Description |
|------|--|
| 1 | Non-compliance issues resulting from items beyond human control or Performance |
| | Measures not relevant for this hatchery |
| 2 | Remedial actions requiring changes in agency policies or procedures |
| 3 | Remedial actions requiring changes in monitoring coverage or interval |
| 4 | Remedial actions requiring significant capital expenditures |
| 5 | Remedial actions that may require significant capital expenditures but are not clearly |
| | definable at this time |

Remedial Actions at Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)

This section presents the corrective actions required to bring the Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) program into compliance with IHOT performance measures. The remedial actions suggested here are just that, <u>suggestions</u> developed by the Montgomery Watson Audit Team. For some non-compliance areas, other remedial actions could be proposed. The required remedial actions are cross-referenced to each IHOT performance measure that was not in compliance. Where appropriate, the costs associated with the remedial actions are also presented (Table 3).

The cost estimates presented in this section are based on professional experience from similar projects. In most cases, only a lump-sum figure is presented, and detailed take-off lists have not been prepared. The cost estimates are essentially order of magnitude estimates (\pm 40%).

More importantly, the suggested remedial activities may also present several levels of action.

Optional actions have been listed for several problems. These optional actions are desirable for either operational or safety considerations.

Table 3. Remedial Actions Required at Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)

| Remedial Action Required | Cost | PMs¹ |
|---|------|----------|
| Type 1 - Non-compliance issues resulting from items beyond human | | |
| control or Performance Measures not relevant for this hatchery None | | |
| Type 2 - Remedial actions requiring changes in agency policies or | | |
| procedures | | |
| Check flow alarm daily and other alarms weekly | | 6 |
| Develop alarm logs | | 6 |
| Conduct IHOT QA/QC tests for feed preparation | | 12 |
| Check temperature of moist pellets at delivery | | 12 |
| Develop specific rearing standards for IHOT Operations Plan | | 19, 22a2 |
| Verify compliance with rearing standards | | 19 |
| Develop smoltification goal and monitor | | 22a1 |
| Review production goal or size goal to meet size goal | | 22a5 |
| Follow IHOT protocols for disinfection of vehicle interiors and exteriors | | 23 |
| Wear protective garments when handling fish eggs or cultural water | | 23 |
| Follow IHOT temperature criteria for transport | | 23 |

| Remedial Action Required | Cost | PMs² |
|--|----------|-------|
| Type 3 - Remedial actions requiring changes in monitoring coverage | | |
| or interval | | |
| Monitor and record DO and TGP | | 5b |
| Run analysis for water chemistry parameters, turbidity, alkalinity, | | 5c-5g |
| hardness, nitrite, and contaminants | | |
| Type 4 - Remedial actions requiring significant capital expenditures | | |
| Install alarms on intake, large rearing ponds, raceway headboxes and | \$60,000 | 6 |
| rearing ponds | | |
| Install security alarms | \$20,000 | 6 |
| Install outside system and buzzer | \$2,000 | 6 |
| Install telephone pages | \$2,000 | 6 |
| Provide double screens on raceways and ponds | \$7,000 | 10 |
| Insulate feed hoppers and bulk storage facilities | \$10,000 | 12 |
| Provide rearing or acclimation in the subbasins | \$2.0 | 22b |
| | million | |
| Type 5 - Remedial actions that may require significant capital | | |
| expenditures but are not clearly definable at this time | | |
| Provide effective predation control | | 11 |

Hatchery Contribution to

Fisheries, Spawning Grounds, and Hatcheries

This section presents the audit findings for the Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) program contribution of adult fish to fisheries, local fisheries, spawning grounds, and hatcheries. Data is reported by broodyear. A broodyear refers to the adult contribution from the eggs produced from a single group of spawning adults. For some species, this may include fish caught as 2-, 3-, 4-, 5-, and 6-year old fish. Because of the return distribution and data processing delays, the complete adult contribution for a given broodyear may not be available until 4 to 5 years after the fish have been released from the hatchery.

Table 4. Adult Contribution to Fisheries, Spawning Grounds, and Hatcheries: Oak

Springs Hatchery - Winter Steelhead (Clackamas River Stock)

| Year | Fisheries | Spawning Grounds ¹ | Hatchery ¹ | Total Combined Contribution | Smolt to Adult Survival (percent) |
|------|-------------|----------------------------------|-----------------------|-----------------------------|-----------------------------------|
| | (Broodyear) | (Broodyear) | (Broodyear) | (Broodyear) | |
| 1985 | | | | | |
| 1986 | | | | | |

Data obtained from Missing Production Groups Annual Report or from the Regional Mark Information System database.

Total combined adult contribution; presented when it is not possible to subdivide the contribution into fisheries, spawning grounds, and hatchery contributions.

| 1987 | Reported at |
|------|-------------|-------------|-------------|-------------|-------------|
| | Clackamas | Clackamas | Clackamas | Clackamas | Clackamas |
| | Hatchery | Hatchery | Hatchery | Hatchery | Hatchery |
| 1988 | Reported at |
| | Clackamas | Clackamas | Clackamas | Clackamas | Clackamas |
| | Hatchery | Hatchery | Hatchery | Hatchery | Hatchery |
| 1989 | Reported at |
| | Clackamas | Clackamas | Clackamas | Clackamas | Clackamas |
| | Hatchery | Hatchery | Hatchery | Hatchery | Hatchery |
| 1990 | Reported at |
| | Clackamas | Clackamas | Clackamas | Clackamas | Clackamas |
| | Hatchery | Hatchery | Hatchery | Hatchery | Hatchery |
| 1991 | | | | | |
| 1992 | | | | | |

Annual Operating Expenditures

The level and detail of annual operating expenditures varies widely depending on hatchery, operating agency, and funding source. When provided, expenditures were presented in terms of personnel costs, operating costs (power, feed, supplies), capital costs, indirect costs charged to the federal government, third-party costs, and other costs. These cost components were summed to determine a total hatchery annual cost. Based on discussion with the hatchery manager, the percent of total hatchery costs allocated to a given program was estimated. The total hatchery costs and the percent of hatchery costs allocated to a given program were used to compute the cost of a given program. Table 5 shows the annual operating expenses for the Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock) program. For programs that occur at more than one facility (as shown on Table 1 in Section 3 of this report), the cost breakdown for the component(s) at each facility is presented in separate tables (Table 5a).

Table 5. Annual Operating Expenses: Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)

| Hatchery | 1994 | 1995 | 1996 |
|----------------------|----------|----------|----------|
| Oak Springs Hatchery | \$19,091 | \$19,091 | \$37,429 |
| | | | |
| 3. | | | |
| 4. | | | |

| Total Program Costs | Total Reported at | Total Reported at | Total Reported at |
|---------------------|-------------------|-------------------|--------------------|
| | Clackamas | Clackamas | Clackamas Hatchery |
| | Hatchery | Hatchery | |

The total expenditures for the Oak Springs Hatchery are presented in Table 6 by program. The detailed breakdown of program expenditures at this hatchery are presented in separate tables (Tables 6a, 6b, and 6c).

Table 6. Annual Operating Expenses - Oak Springs Hatchery

| Program | 1994 | 1995 | 1996 |
|---------------------------------|-----------|-----------|-----------|
| Summer Steelhead | \$73,835 | \$75,863 | \$161,661 |
| 2. Winter Steelhead (Clackamas | \$19,091 | \$19,091 | \$37,429 |
| River Stock) | | | |
| 3. Winter Steelhead (Hood River | \$19,067 | \$23,936 | \$46,985 |
| Stock | | | |
| 4. | | | |
| Total Hatchery Costs | \$111,993 | \$118,890 | \$246,075 |

Table 5a. Annual Operating Expenses: Oak Springs Hatchery - Winter Steelhead (Clackamas River Stock)

Expenditure Occurring at Oak Springs

| Component | 1994 | 1995 | 1996 |
|-----------------------------|-----------|-----------|-----------|
| Personnel Costs | \$219,923 | \$219,923 | \$220,865 |
| Operational Costs | \$125,111 | \$125,111 | \$139,555 |
| Capital Costs | \$0 | \$0 | \$360,420 |
| Indirect Costs | \$60,654 | \$60,654 | \$75,521 |
| Lumped Hatchery Costs | | | |
| Lumped Third-Party Costs | | | |
| | ¢405 607 | ¢405 607 | \$706264 |
| Total Hatchery Costs | \$405,687 | \$405,687 | \$796361 |
| Source of Funds | | | |
| ODFW | 100% | 100% | 100% |
| | | | |
| Program Production (lb) | 8,000 | 8,000 | 8,000 |
| Total Production (lb) | 170,000 | 170,000 | 170,000 |
| Program as Percent of Total | 4.7% | 4.7% | 4.7% |
| Program Costs | \$19,091 | \$19,091 | \$37,429 |

Table 6a. Detailed Expenditures at Oak Springs Hatchery by Program

Summer Steelhead

| Component | 1994 | 1995 | 1996 |
|-----------------------------|-----------|-----------|-----------|
| Personnel Costs | \$219,923 | \$219,923 | \$220,865 |
| Operational Costs | \$125,111 | \$125,111 | \$139,555 |
| Capital Costs | \$0 | \$0 | \$360,420 |
| Indirect Costs | \$60,654 | \$60,654 | \$75,521 |
| Lumped Hatchery Costs | | | |
| Lumped Third-Party Costs | | | |
| Total Hatchery Costs | \$405,687 | \$405,687 | \$796361 |
| Source of Funds | | | |
| ODFW | 100% | 100% | 100% |
| | | | |
| Program Production (lb) | 30,900 | 31,750 | 34,481 |
| Total Production (lb) | 170,000 | 170,000 | 170,000 |
| Program as Percent of Total | 18.2% | 18.7% | 20.3% |
| Program Costs | \$73,835 | \$75,863 | \$161,661 |

Table 6b. Detailed Expenditures at Oak Springs Hatchery by Program

Winter Steelhead (Clackamas Stock)

| Component | 1994 | 1995 | 1996 |
|-----------------------------|-----------|-----------|-----------|
| Personnel Costs | \$219,923 | \$219,923 | \$220,865 |
| Operational Costs | \$125,111 | \$125,111 | \$139,555 |
| Capital Costs | \$0 | \$0 | \$360,420 |
| Indirect Costs | \$60,654 | \$60,654 | \$75,521 |
| Lumped Hatchery Costs | | | |
| Lumped Third-Party Costs | | | |
| Total Hatchery Costs | \$405,687 | \$405,687 | \$796361 |
| Source of Funds | | | |
| ODFW | 100% | 100% | 100% |
| | | | |
| Program Production (lb) | 8,000 | 8,000 | 8,000 |
| Total Production (lb) | 170,000 | 170,000 | 170,000 |
| Program as Percent of Total | 4.7% | 4.7% | 4.7% |
| Program Costs | \$19,091 | \$19,091 | \$37,429 |

Table 6c. Detailed Expenditures at Oak Springs Hatchery by Program

Winter Steelhead (Hood River Stock)

| Component | 1994 | 1995 | 1996 |
|-----------------------------|-----------|-----------|-----------|
| Personnel Costs | \$219,923 | \$219,923 | \$220,865 |
| Operational Costs | \$125,111 | \$125,111 | \$139,555 |
| Capital Costs | \$0 | \$0 | \$360,420 |
| Indirect Costs | \$60,654 | \$60,654 | \$75,521 |
| Lumped Hatchery Costs | | | |
| Lumped Third-Party Costs | | | |
| Total Hatchery Costs | \$405,687 | \$405,687 | \$796361 |
| Source of Funds | | | |
| ODFW | 100% | 100% | 100% |
| | | | |
| Program Production (lb) | 8,000 | 10,000 | 10,000 |
| Total Production (lb) | 170,000 | 170,000 | 170,000 |
| Program as Percent of Total | 4.7 | 5.9 | 5.9 |
| Program Costs | \$19,067 | \$23,936 | \$46,985 |

PMs are performance measures that were extracted from the IHOT 1995 report. The IHOT

performance measures are listed in Table 2 (Section 3 of this report) in numerical order.

PMs are performance measures that were extracted from the IHOT 1995 report. The IHOT performance measures are listed in Table 2 (Section 3 of this report) in numerical order.